

FOREWORD BY JAMES LAKE, MD

SPIRITISM AND MENTAL HEALTH



Practices from Spiritist Centers and
Spiritist Psychiatric Hospitals in Brazil

EDITED BY
EMMA BRAGDON, PHD

SPIRITISM AND MENTAL HEALTH

Practices from Spiritist Centers and
Spiritist Psychiatric Hospitals in Brazil

EDITED BY
EMMA BRAGDON, PHD

FOREWORD BY JAMES LAKE, MD



LONDON AND PHILADELPHIA

Copyright Acknowledgments

We wish to thank the publishers for permission to reprint the following:

Lightening Up Press first published Marcelo's story in Chapter 6 in *Kardec's Spiritism* (2004) by Emma Bragdon, pp.60–63.

Sage Publications first published Chapter 11, "Jung, Spirits, and Madness: Lessons for Cultural Psychiatry" by Joan Koss-Chioino, in *Transcultural Psychiatry* 40, 2003, pp.164–180.

Elsevier previously published Chapter 20, "Compassionate Intention as a Therapeutic Intervention by Partners of Cancer Patients: Effects of Distant Intention on the Patients' Autonomic Nervous System," in *Explore* 4, July 2008, pp.235–243. The authors are Dean Radin, PhD, Jerome Stone, MA, RN, Ellen Levine, PhD, Shahram Eskandarnajad, MD, Marilyn Schlitz, PhD, Leila Kozak, PhD, Dorothy Mandel, PhD, and Gail Hayssen.

Every effort has been made to trace copyright holders and to obtain their permission for the use of copyright material. The authors and the publisher apologize for any omissions and would be grateful if notified of any acknowledgements that should be incorporated in future reprints or editions of this book.

First published in 2012

by Singing Dragon

an imprint of Jessica Kingsley Publishers

116 Pentonville Road

London N1 9JB, UK

and

400 Market Street, Suite 400

Philadelphia, PA 19106, USA

www.singingdragon.com

Copyright © Singing Dragon 2012

All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means and whether or not transiently or incidentally to some other use of this publication) without the written permission of the copyright owner except in accordance with the provisions of the Copyright, Designs and Patents Act 1988 or under the terms of a licence issued by the Copyright Licensing Agency Ltd, Saffron House, 6–10 Kirby Street, London EC1N 8TS. Applications for the copyright owner's written permission to reproduce any part of this publication should be addressed to the publisher.

Warning: The doing of an unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

Library of Congress Cataloging in Publication Data

Spiritism and mental health : practices from spiritist centers and spiritist psychiatric hospitals in Brazil / edited by Emma Bragdon ; foreword by James Lake.

p. cm.

Includes bibliographical references and index.

ISBN 978-1-84819-059-7 (alk. paper)

1. Mental health--Brazil--Religious aspects. 2. Spirituality--Brazil. I. Bragdon, Emma.

RC489.S676S64 2011

362.196'8900981--dc22

2011007366

British Library Cataloguing in Publication Data

A CIP catalogue record for this book is available from the British Library

ISBN 978 1 84819 059 7

Printed and bound in Great Britain

Chapter 19

THE POSITIVE POTENTIAL OF DISSOCIATIVE STATES OF CONSCIOUSNESS

Melvin Morse, MD

Introduction

This chapter will discuss the dissociative states of consciousness and emphasize their protective, healing, transformative, and restorative functions (see Table 19.1).

The Current View of Dissociation

The term “dissociation” was first used by Janet in the late nineteenth century, to understand and describe hysterical personalities. He described a life of “psychological misery” because of, in his view, the resultant segmented and dissociated life of the hysteric (Janet 1901).

This viewpoint persists to this day. The American Psychiatric Association’s (1994) *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), while stating that dissociation should not be considered inherently pathological, offers no diagnostic category for non-pathological dissociation. Near-death experiences, simply because of the out-of-body component and detachment from the physical body, have been categorized as dissociative events and are discussed in that context (Krippner and Powers 1997).

Other theorists, however, have pointed out that dissociation in general and the near-death experience in particular may well serve to connect consciousness to other realities (Evan 1989). It has become increasingly appreciated that the majority of dissociative clinical conditions do not represent pathology. As a result, there has been a call for a reclassification of dissociation based on function and clinical situations, not simply the phenomenon itself (Spitzer *et al.* 2006).

Table 19.1: The spectrum of dissociation as seen in healing, health, and mental dysfunction

Dissociation as a healing tool	Dissociation as a therapeutic tool	Dissociation for spiritual improvement	Spontaneous dissociation	Dissociation with mild functional disturbances	Severe dissociation with independently functioning personalities
Well-trained Spiritist mediums and healers; NDE	1. EMDR 2. TRVP (Past Life Regression Therapy)	Controlled remote viewing or astral projection	Simple out-of-body experiences (OBE)	PTSD with anxiety and mild DID	Severe DID (formerly known as multiple personality disorder)
Persons enjoy excellent mental health and are using dissociation to interact with spirits and other realities, and to help others	Experienced therapists guide the patient through protocols which involve dissociation and non-local perceptions	Techniques and protocols used by individuals which promote non-local perceptions and dissociation	About 3% of population will have sudden OBE for no reason; it just happens	Patients are fairly functional and have anxiety and brief dissociative episodes	Ordinary seamless stream of consciousness is significantly disrupted as various personalities struggle for control of the self

Even in severe situations such as Dissociation Identity Disorder (DID), it is not clear that it is dissociation that is the root cause of the pathology. Dysfunctional dissociation is often the result of severe and chronic childhood traumatic experiences where the dissociative barriers are developed to aid the child in his or her psychological survival. However, this type of response later in life can inhibit a person's natural development and may contribute to the debilitating symptoms of post-traumatic stress disorder (PTSD), depression, and anxiety. It appears that the very thing the child used to survive, *dissociating*, can later help to heal them when used in the context of therapy.

We All Dissociate: It Is a Normal State of Consciousness

It has been known since the mid-nineteenth century that there are two independent streams of consciousness operating in the human mind (Crabtree 1993). There is the "internal narrator" or ordinary consciousness, which recently has become associated with left hemispheric function. There is also the unconscious stream of sensory input and memory, associated with right brain functions but in fact found in multiple areas of the brain (Binet 1890; Crabtree 2006). Normal healthy well-functioning adults can even have as many as three or more independently functioning streams of consciousness (Beahrs 1982; Crabtree 1985; Hilgard 1977).

Although consciousness in the brain is far more complex than simple "left brain" versus "right brain," split brain research documents that the two hemispheres of the brain process information differently (Gazzaniga 1989; Sperry 1974, 1993). Understanding the strengths and weaknesses of each consciousness can clarify the need for integration of the two major streams of consciousness.

The "left brain" is analytic, verbal, and creates our ongoing sense of reality. It is our normal personality. One important function it has is to make sense of the ordinary world and facilitate our daily lives. It creates our sense of meaning of life, and the myths and belief systems by which we live.

The "right brain" is conscious of the left brain's mental activities and although considered "unconscious" actually contains the entire conscious record and memories of the person. It is relatively non-verbal, communicates with symbols, and sorts and organizes data and information but rarely tries to judge it or make sense of it (Gazzaniga 2008). It is this arena of consciousness that is associated with automatic writing, vivid perceptions of deceased persons, remote viewing or otherwise accessing information through non-ordinary means, and mediumship (Braude 1995; Myers 1885). It is this same stream of consciousness that I have speculated is connected to a timeless space-less source of all knowledge. I have theorized that the right temporal lobe and hippocampus is our "god spot" (Morse

2002). Others feel this is simplistic as the entire brain is connected to the Divine (Beauregard and O'Leary 2007).

Case Report

Dissociative experiences in the context of dying (near-death experiences; NDEs) can have powerful transformative effects independent of the psychological aspects of coming close to death and surviving (Morse 1994a). This case report comes from the experimental model for near-death experiences inadvertently developed by the US military when studying the effects of high acceleration forces on the human brain. James Whinnery, MD, the lead investigator, found that dissociative experiences occurred to the test pilots when they were at the point of maximal accelerations in a centrifuge. They did not occur at lesser accelerations. These dissociative experiences included a full return to consciousness (after first suffering seizures and coma), a perception of being transcendent with the Universe and merging with a spiritual white light or "god" (Whinnery 1989; Whinnery and Whinnery 1990).

Jeff Smith was a warrior. He was a flight officer in the US Marine Corps. Now he is one of a hundred approved consultants in EMDR (Eye Movement Desensitization and Reprocessing) therapy and an advocate for the homeless. He is dedicated to treating veterans with PTSD. As part of his military experience, he was part of Whinnery's research on G forces and consciousness. He had the typical NDE seen in clinical studies of children and adults who describe near-death experiences, especially merging with a spiritual white light. The experience had a transformative effect on him. He altered his career path and trained as a family therapist and then specialized in EMDR. He integrates his spiritual understandings gained from his near-death experience with traditional EMDR therapy.

Dissociative Experiences and Non-local Perceptions

Dr. Whinnery; Pim van Lommel, a Dutch adult cardiologist; and myself, a former pediatric intensivist, have done prospective studies of NDEs. Our research and conclusions are well accepted by the mainstream scientific and medical mainstream literature (Morse 1994b; Morse, Castillo and Venecia 1986; van Lommel *et al.* 2001).

All three of us concluded that NDEs:

- occur in dysfunctional or (briefly) dead brains
- involve a sense of expanded awareness and consciousness implying that consciousness does not depend entirely on brain function

- involve out-of-body perceptions, merging with a transcendent reality or “god,” speaking with deceased persons, encountering spirits, etc.
- are not caused by coma or trauma, a lack of oxygen, or medications, and are not a psychological reaction to the fear of nearly dying
- are associated with positive personality transformations
- seem to imply that memories can be stored outside the brain and that consciousness exists independent of brain function.

(Morse and Whinnery, personal communication 1996–1998; Morse and van Lommel, personal communication, October 26, 2008)

This last point is not as controversial as it seems. In fact, there is no current modern theory of how memory can be stored in the brain. Allan Gauld, in reviewing the subject, states that the idea that memory must be stored within the brain is a neuroscientific myth, unsupported by the evidence, and now hardened into dogma (Gauld 2006, p.281). In the same text, Bruce Greyson, MD, states: “the central challenge of NDEs lies in asking how these complex states of consciousness can occur under conditions...[which neuroscience now] deems impossible. This conflict between neuroscientific orthodoxy is head on, profound, and inescapable” (Greyson 2006, p.421).

Near-death research clearly supports the concept that dissociation can involve contacting spiritual realities and a “god” that exist independent of us, and may not be pathological at all. The need for more neutral terminology led van Lommel (2010) to propose the term “non-local perceptions.” Non-local perceptions include spirits, deceased relatives, a god, past life memories, remote viewing, angels, and spiritual realities which cannot be perceived with the ordinary senses and yet seem completely real.

Dr. van Lommel’s “non-local perceptions” reinforce my theory that we have a “god spot” or “spiritual brain” which allows us to interact with the theoretical physicists’ current concept of reality, a timeless space-less conscious informational universe (Stapp 2007). At the very least, this new research suggests that we are designed with the hardware in the brain to connect to an altered or “unconscious” consciousness for a positive purpose of healing and growth. Regardless of the objective reality of these non-local experiences, it is clearly beneficial to have them. For example, dissociative experiences have been associated with genius and creativity (Braude 2002).

Using Dissociative Experiences to Transform and Heal the Mind

Simply being in a non-verbal unconscious mental “dissociative” state, without any specific reference to spirits or encounters with a “god,” has been shown to

be protective against severe psychological trauma. Researchers have shown that PTSD can benefit from patients being immersed in what those researchers called “the separate sensory stream of consciousness” by playing a video game that involves sorting shapes (Holmes *et al.* 2010).

There are specific therapies and protocols that facilitate healthy dissociation, which typically involve non-local perceptions.

Controlled Remote Viewing (CRV) or Controlled Out-of-Body Perceptions

Protocols for the controlled ability to dissociate and/or access information by non-ordinary means were developed independently by the US military and “projectiologists” in Brazil and Portugal. Their protocols are strikingly similar. They involve a “viewer” who first accesses the sensory stream of consciousness and then creates a “virtual reality” within the mind. While in this virtual reality, the viewer obtains information otherwise not accessible through memory or the ordinary senses. Automatic writing and dissociation are key elements of the experience. There is a monitor of the sessions to guide and direct the viewer in the process and help the viewer remain within the structured protocol.

The Brazilian group uses the experience to develop good mental health and have a body of research documenting this (*Journal of Conscientiology*). Although the US program was developed for military intelligence gathering, the same result occurred. Most of the originally trained military remote viewers have written books with titles such as *Captain of My Soul*, *Master of My Ship* to describe the positive transformational effect their training had on them (Atwater 2001). Lyn Buchanan (2003), for example, states that high quality viewings correspond to creativity, happiness, and excellent mental health in the viewer. He has moved beyond the military targets he was trained for and frequently monitors and assists persons during their own dying process.

Eye Movement Desensitization and Reprocessing

EMDR is one of the few evidence-based therapies documented to heal PTSD. It is approved as a first-line treatment intervention for PTSD by the American Psychiatric Association, the US Department of Veterans Affairs, and the US Department of Defense. EMDR is an eight-phase, integrative psychotherapy approach that uses specific protocols and procedures (Shapiro 2001) to access the unconscious. There is bilateral activation of both hemispheres of the brain using eye movements or the other forms of bilateral stimulation. In EMDR a client’s sensory stream of consciousness is engaged while they are asked to talk about their experiences. At the onset of EMDR treatment a virtual “safe place” is created as a mental construct to ensure a place for the client to return to for

self-regulation. The process of creating this safe place is strikingly similar to the mental processes of controlled remote viewing.

The specific details and memories (auditory, somatic, visual) of the traumatic events are accessed, and otherwise linked trigger memories are reprocessed, resulting in positive thoughts and feelings which were unavailable prior to the processing. At times in treatment, other “virtual” persons can also be engaged, such as healthy adult parts of the person, fallen comrades of a soldier in war, dead family members, abusers, and spirit helpers to assist in the healing process. This often catalyzes a profound healing response where clients report a sense of deeper healing, even a spiritual experience, while new material comes forward of forgiveness, compassion, and love for the self and others. This healing process occurs much more efficiently compared to traditional talk therapies. Clearly EMDR involves healthy dissociation and creative use of non-local perceptions.

Experiential Regression Therapy de Peres (TRVP)

This is a seven-stage experiential treatment of PTSD. This technique was developed by Julio Peres, PhD, a neuroscientist and psychologist in Brazil. The entire therapy typically takes six months. Patients were hypnotically regressed to past life memories and experiences. Cognitive behavioral therapy was then done. Peres studied 610 patients between 1996 and 2002. Two-thirds of the patients had complete resolution of PTSD. Facilitating dissociation and non-local perceptions is a key part of the therapy (Peres 2009).

Mediumship in Psychotherapy

When we understand communicating with the human second consciousness as a linkage with a timeless, space-less, all-knowledge domain, much of the confusion in this arena disappears. Whether it is a medium contacting a “dead person,” or an EMDR therapist helping the client to interact with an abuser or a fallen comrade in battle, all of these experiences really involve interactions with the body of information that represents a given situation or person. They all are simply mental experiences involving the accessing and processing of non-local information.

Examples of Mediumship in Psychotherapy

The Author and His Wife’s Experience¹

We have treated over 30 patients with severe DID, all within a spiritual context. Early in therapy, we seek to find as an ally the “artist within” and/or the “being of light” that is typically present. We engage the various consciousnesses as if they are completely real, with respect, dignity, and unconditional love.

For example, one conscious state I refer to as "the monster soul" usually has the most complete memories of the childhood trauma. They have voluntarily taken on horrific trauma to allow the core personality to live a happy and uncontaminated life. I explain that their anger and fury is to be expected and respected. As the therapeutic process continues, I ask them what the best resolution of their anger would be for them. One "monster soul" told me that she wanted to be sealed in a stainless steel museum in a graveyard that everyone could admire, but never enter. Rapid resolution of disabling anger then occurred.

To facilitate healing, with my wife as monitor, I openly enter into a spiritual and/or dissociative state with the patient. I have had consciousnesses "talk" through me as if I am channeling their words. My therapeutic model is entirely one of love, respect, and wonder. The patient has his or her own healing solutions which I could never anticipate. For example, with one patient, I realized that the core or central personality was frightened and perceived herself as a seven-year-old girl and a "frozen sausage." There was in fact no adult personality to take charge. She had been misdiagnosed as a "schizoid" or "borderline personality." The previously hidden "artist within" stepped forward and "thawed out" the core personality. Over many years, she gradually matured and healed. I cannot think of a single patient I have helped in any way other than by being a witness to their healing by being willing to believe in the unbelievable (Cline 1997).

A Psychotherapist Medium

At least one well-trained and highly successful psychotherapist has written about his clinical practice which straightforwardly involves, at times, communication with spirits who have therapeutic information and suggestions for the client (GoForth and Gray 2009).

Mediums as Psychotherapists

Conversely, it has recently been proposed that mediums may play an important role in grief therapy, and should be studied in that context (Mosher, Beischel and Boccuzzi 2010).

This immediately raises legitimate concerns about untrained and undisciplined mediums actively practicing psychotherapy with the potential for significant harm. The above examples involve well-trained, highly skilled physicians and psychologists who add the element of mediumship to their other skills and training. Clearly it is appropriate to begin a dialogue on what are the proper standards of care for such integration of mediumship into therapy (GoForth 2011). Until this is better understood, in my opinion only persons already skilled and licensed to practice psychology and medicine should attempt to integrate "interactions with the all-knowledge domain" or mediumship into their clinical practice.

Conclusion

Dissociation is best understood as a spectrum state of consciousness. At one end of the spectrum are the mediumistic experiences of the best-trained and supervised mediums of the Spiritist movement who lead a well-disciplined and balanced way of life. They may be highly educated professionals or not, but all of them do group mediumship for the purpose of helping people who are suffering as well as purported disincarnated spirits. They do not charge for this practice (Spiritist Medical Association of the USA 2010). The spontaneous dissociation of the near-death experience is also at this end of the spectrum.

Next is dissociation in the context of positive therapeutic experiences discussed above. These therapies depend on the healing power of shifting to what is loosely called "right brain" consciousness, and then creating a loving and safe place for healing to occur.

Controlled remote viewing and astral projection are at this part of the spectrum. They are skills that can be learned and clearly can enhance spirituality and ordinary consciousness. It is one non-local perception validated as objectively real by considerable scientific research (Dunne and Jahne 1982; Targ and Puthoff 1974).

In the middle of the spectrum is the simple out-of-body experience. These occur to 3 percent of the normal mentally healthy population, spontaneously. They typically have no secondary meaning or transformative effects (Gabbard and Twemlow 1985).

Towards the pathological end of the spectrum would be PTSD. Such patients often have entwined clusters of memories, and seemingly unrelated non-traumatic experiences can suddenly trigger traumatic memories resulting in panic attacks and momentary dissociation. Many patients with DID fall in this mild category. They may well have many dissociative experiences in a given day but have learned how to cope and manage them in a functional way. Finally at the end of this spectrum is severe DID disorder and PTSD where the patient experiences major and disabling dissociative events out of conscious control. It is not the dissociation that is disabling; it is the lack of conscious control.

Modern research and therapies have the potential of creating a new healthy holistic approach to dissociation. This has enormous potential to enhance our ordinary state of consciousness as well as help disorders such as PTSD and DID, when directed and guided within a therapeutic context.

Note

1. The author and his wife are an experienced controlled remote viewing team. They have adapted the structure, protocol, and discipline of controlled remote viewing for working as a team with DID patients.

- Rubik, B. (2007) Unpublished data from the Institute for Frontier Science, Emeryville, California.
- Rubik, B. (2010) "Studies and observations on frequency-treated water, electrolyzed water, and human blood." Presentation at Water Conference, Mt Snow, VT, October 24, 2010.
- Rubik, B., Brooks, A., and Schwartz, G. (2006) "In vitro effect of reiki treatment on bacterial cultures: role of experimental context and practitioner wellbeing." *Journal of Alternative and Complementary Medicine* 12, 1, 7–13.
- Saviato, R.M. and da Silva, M.J. (2004) "Efeitos do toque terapêutico na cicatrização de lesões da pele de cobaias [Therapeutic touch for the healing of skin injuries in guinea pigs]." *Revista Brasileira de Enfermagem* 57, 3, 340–343.
- Schiff, M. (1995) *The Memory of Water: Homeopathy and the Battle of Ideas in the New Science*. London: Thorsons/HarperCollins.
- Shirahata, S., Kabayama, S., and Nakano, M. (1997) "Electrolyzed-reduced water scavenges active oxygen species and protects DNA from oxidative damage." *Biochemical and Biophysical Research Communications* 234, 269–274.
- Smith, C.W. (1994a) "Electromagnetic and Magnetic Vector Potential Bio-Information and Water." In P.C. Endler and J. Schulte (eds) *Ultra High Dilution: Physiology and Physics*. Dordrecht: Kluwer Academic.
- Smith, C.W. (1994b) "Coherence in living biological systems." *Neural Network World* 3, 379–388.
- Smith, C.W. (2004) "Quanta and coherence effects in water and living systems." *Journal of Alternative and Complementary Medicine* 10, 1, 69–78.
- Szent-Gyorgyi, A. (1979) In W. Drost-Hansen and J.S. Clegg (eds) *Cell-Associated Water*. New York: Academic Press.
- Tiller, W. (1997) *Science and Human Transformation*. Walnut Creek, CA: Pavior Press.
- Tiller, W. (2001) *Conscious Acts of Creation*. Walnut Creek, CA: Pavior Press.
- Ye, J., Li, Y., and Hanasaki, T. (2008) "Inhibitory effect of electrolyzed reduced water on tumor angiogenesis." *Biological & Pharmaceutical Bulletin* 31, 1, 19–26.
- Zheng, J.M. and Pollack, G.H. (2006) "Solute Exclusion and Potential Distribution Near Hydrophilic Surfaces." In G.H. Pollack, I.L. Cameron, and D.N. Wheatley (eds) *Water and the Cell*. Dordrecht: Springer.

Chapter 19: The Positive Potential of Dissociative States of Consciousness

- American Psychiatric Association (1994) *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition*. Washington, DC: American Psychological Press.
- Atwater, F.H. (2001) *Captain of My Ship, Master of My Soul*. Charlottesville, VA: Hampton Roads Publishing.
- Beahr, J. (1982) *Unity and Multiplicity*. New York: Brunner/Mazel.
- Beauregard, M. and O'Leary, D. (2007) *The Spiritual Brain*. New York: Harper Collins.
- Binet, A. (1890) *On Double Consciousness*. Chicago: Open Court.
- Braude, S. (1995) *The First Person Plural: Multiple Personality and the Philosophy of Mind*. Lanham, MD: Rowman and Littlefield.
- Braude, S. (2002) "The creativity of dissociation." *Journal of Trauma and Dissociation* 3, 5–26.
- Buchanan, L. (2003) *The Seventh Sense: Secrets of Remote Viewing*. New York: Paraview Pocket Books.
- Cline, J.D. (1997) *Silencing the Voices: One Woman's Triumph over Multiple Personality Disorder*. New York: Berkeley Books.
- Crabtree, A. (1985) *Multiple Man: Explorations in Possession and Multiple Personality*. London: Holt Rinehart and Winston.
- Crabtree, A. (1993) *From Mesmer to Freud: Magnetic Sleep and the Roots of Psychological Healing*. New Haven, CT: Yale University Press.
- Crabtree, A. (2006) "Automatism and Secondary Centers of Consciousness." In E.F. Kelly, E.W. Kelly, A. Crabtree, A. Gauld, M. Grosso, and B. Greyson (eds) *Irreducible Mind: Toward a Psychology for the 21st Century*. Lanham, MD: Rowman and Littlefield.
- Dunne, B. and Jahne, R. (1982) *Margins of Reality*. Princeton, NJ: Princeton University Press.

- Evan, H. (1989) *Alternate States of Consciousness*. Wellingborough, England: Aquarium Press.
- Gabbard, G.O. and Twemlow, S.W. (1985) *With the Eyes of the Mind: Empirical Analysis of the Out of Body State*. New York: Praeger.
- Gauld, A. (2006) "Memory." In E.F. Kelly, E.W. Kelly, A. Crabtree, A. Gauld, M. Grosso, and B. Greyson (eds) *Irreducible Mind: Toward a Psychology for the 21st Century*. Lanham, MD: Rowman and Littlefield.
- Gazzaniga, M.S. (1989) "The organization of the human brain." *Science* 245, 492, 947–952.
- Gazzaniga, M.S. (2008) *Human: The Science of What Makes Us Unique*. New York: HarperCollins.
- GoForth, A. (2011) "The disparity of a standard of care for spirit mediumship as a permissible behavioral health care profession." *Paranthropology*, January.
- GoForth, A. and Gray, T. (2009) *The Risen: Dialogues of Love, Grief and Survival Beyond Death. 21st Century Reports from the Afterlife Through Contemplative, Intuitive, and Physical Mediumship*. New York: Tempestina Teapot Books.
- Greyson, B. (2006) "Near Death Experiences." In E.F. Kelly, E.W. Kelly, A. Crabtree, A. Gauld, M. Grosso, and B. Greyson (eds) *Irreducible Mind: Toward a Psychology for the 21st Century*. Lanham, MD: Rowman and Littlefield.
- Hilgard, E. (1977) *Divided Consciousness: Multiple Controls in Human Thought and Action*. New York: John Wiley and Sons.
- Holmes, E.A., James, E.L., Kilford, E.J., and Deeprose, C. (2010) "Key steps in developing a cognitive vaccine against traumatic flashbacks: visuo-spatial tetris versus verbal pub quiz." *PLoS ONE* 5, 11, e13706 DOI.
- Janet, P. (1901) *The Mental State of Hystericals: A Study of Mental Stigmas and Mental Accidents*. New York: G.P. Putnam.
- Journal of Conscientiology*: International Institute of Conscientiology and Projectiology. Foz do Iguacu PR Brazil (www.iipc.org).
- Krippner, S. and Powers, S.M. (1997) *Broken Images, Broken Selves: Dissociative Narratives in Clinical Practice*. Washington, DC: Brunner/Mazel.
- Morse, M.L. (1994a) *Transformed by the Light*. New York: Harper Collins.
- Morse, M.L. (1994b) "Near death experiences and death related visions in children: implications for clinicians." *Current Problems in Pediatrics* 24, 55–83.
- Morse, M.L. (2002) *Where God Lives: Paranormal Science and How Our Brains Are Connected to the Universe*. New York: HarperCollins.
- Morse, M.L., Castillo, P., and Venecia, D. (1986) "Children's near death experiences." *American Journal of Diseases of Children* 140, 110–114.
- Mosher, C., Beischel, J., and Boccuzzi, M. (2010) "The potential therapeutic benefit of mediumship readings in the treatment of grief." Poster at Science of Consciousness, University of Arizona, Tucson, Arizona. Available at www.consciousness.arizona.edu/documents/AbstractBook2010_v12full.pdf, accessed on April 23, 2011.
- Myers, F.W.H. (1885) "Automatic writing, or the rationale of planchette." *Contemporary Review* 47, 233–249.
- Peres, J. (2009) Lecture at Second British Spiritist Medical Conference, London, England, November 8.
- Shapiro, F. (2001) *Eye Movement Desensitization and Reprocessing: Basic Principles, Protocols and Procedures*, 2nd edn. New York: Guilford Press.
- Sperry, R.W. (1974) "Lateral Specialization in the Surgically Separated Hemispheres." In F.O. Schmitt and E.G. Worden (eds) *The Neurosciences: The Third Study Program*. Cambridge, MA: MIT Press.
- Sperry, R.W. (1993) "The impact and promise of the cognitive revolution." *American Psychologist* 48, 878–885.
- Spiritist Medical Association of the USA (2010) "What is Spiritism?" Available at www.sma-us.org, accessed on November 15, 2010.
- Spitzer, C., Barnow, S., Freyberger, H.J., and Grabe, H.J. (2006) "Recent developments in the theory of dissociation." *World Psychiatry* 5, 2, 82–86.
- Stapp, H. (2007) *Mindful Universe: Quantum Mechanics and the Participating Observer*. New York: Springer.
- Targ, R. and Puthoff, H. (1974) "Information transmission under conditions of sensory shielding." *Nature* 251, 602–607.

- van Lommel, P. (2010) *Consciousness Beyond Life: The Science of the Near Death Experience*. New York: HarperCollins.
- van Lommel, P., van Rees, R., Myers, V., and Elferich, I. (2001) "Near death experiences in survivors of cardiac arrest: a prospective study." *Lancet* 358, 9298, 2039–2045.
- Whinnery, J.E. (1989) "Methods for describing and quantifying +Gz induced loss of consciousness." *Aviation, Space and Environmental Medicine* 60, 589–593.
- Whinnery, J.E. and Whinnery, A.M. (1990) "Acceleration induced loss of consciousness." *Archives of Neurology* 47, 764–776.

Chapter 20: Compassionate Intention as a Therapeutic Intervention by Partners of Cancer Patients

- Achterberg, J., Cooke, K., Richards, T., Standish, L.J., Kozak, L., and Lake, J. (2005) "Evidence for correlations between distant intentionality and brain function in recipients: a functional magnetic resonance imaging analysis." *Journal of Alternative and Complementary Medicine* 11, 6, 965–971.
- Astin, J.A., Harkness, E., and Ernst, E. (2000) "The efficacy of 'distant healing': a systematic review of randomized trials." *Annals of Internal Medicine* 132, 903–910.
- Barnes, P., Powell-Griner, E., McFann, K., Nahin, R., et al. (2004) "Advance Data Report #343." *Complementary and Alternative Medicine Use Among Adults: United States*. May 27.
- Benson, H., Dusek, J.A., Sherwood, J.B., Lam, P., et al. (2006) "Study of the therapeutic effects of intercessory prayer (STEP) in cardiac bypass patients: a multicenter randomized trial of uncertainty and certainty of receiving intercessory prayer." *American Heart Journal* 151, 4, 934–942.
- Blair, R.C. and Karniski, W. (1993) "An alternative method for significance testing of waveform difference potentials." *Psychophysiology* 30, 518–524.
- Brady, M., Peterman, A.H., Fitchett, G., Mo, M., and Cella, D.A. (1999) "A case for including spirituality in quality of life measurement in oncology." *Psycho-Oncology* 8, 417–428.
- Braud, W. (2000) "Wellness implications of retroactive intentional influence: exploring an outrageous hypothesis." *Alternative Therapies in Health and Medicine* 6, 37–48.
- Cella, D.F., Tulsky, D.S., Gray, G., Sarafian, B., et al. (1993) "The Functional Assessment of Cancer Therapy (FACT) scale: development and validation of the general measure." *Journal of Clinical Oncology* 11, 570–579.
- Chodron, P. (1996) *Awakening Loving-Kindness*. Boston, MA: Shambhala.
- Davis, A. (ed.) (1997) *Meditation from the Heart of Judaism*. Woodstock: Jewish Lights.
- Duane, T.D. and Behrendt, T. (1965) "Extrasensory electroencephalographic induction between identical twins." *Science* 150, 367.
- Grinberg-Zylberbaum, J., Delafior, M., Attie, L., and Goswami, A. (1994) "The Einstein–Podolsky–Rosen paradox in the brain: the transferred potential." *Physics Essays* 7, 422–427.
- Hudson, W.W. (1997) *The WALMYR Assessment Scales Scoring Manual*. Tallahassee, FL: WALMYR Publishing.
- Kiecolt-Glaser, J.K., McGuire, L., Robles, T.F., and Glaser, R. (2002) "Psychoneuroimmunology and psychosomatic medicine: back to the future." *Psychosomatic Medicine* 64, 15–28.
- Krieger, D. (1993) *Accepting Your Power to Heal*. Rochester: Bear and Co.
- Krucoff, M.W., Crater, S.W., Gallup, D., Blankenship, J.C., et al. (2005) "Music, imagery, touch, and prayer as adjuncts to interventional cardiac care: the Monitoring and Actualization of Noetic Trainings (MANTRA) II randomized study." *Lancet* 366, 9481, 211–217.
- Krucoff, M.W., Crater, S.W., Green, C.L., Maas, A.C., et al. (2001) "Integrative noetic therapies as adjuncts to percutaneous intervention during unstable coronary syndromes: Monitoring and Actualization of Noetic Training (MANTRA) feasibility pilot." *American Heart Journal* 142, 5, 760–769.
- Leibovici, L. (2001) "Effects of remote, retroactive intercessory prayer on outcomes in patients with bloodstream infection: randomized controlled trial." *British Medical Journal* 323, 1450–1451.
- Lerner, M. (1995) *Jewish Renewal: A Path to Healing and Transformation*. San Francisco: Perennial.
- Lin, J.C. (ed.) (2005) *Advances in Electromagnetic Fields in Living Systems, Volume 4*. New York: Springer Science and Business Media.